PT. BIRU & SONS

BIRU

Armstrong FLOORING

LAMINATE FLOORING

ARMALOCK

Inspiring Great Spaces™

ARMALOCK

Laminate Flooring/ Manufactured in Asia



Dimensions:

Laminated STD (Standard)

thickness	width	length
8mm	194mm	1214mm

Laminated STD (Standard)

thickness	width	length
12mm	194mm	1214mm

Laminated EIR (Embossed In Register)

thickness	width	length
8mm	194mm	1214mm

Laminated EIR (Embossed In Register)

thickness	width	length
12mm	194mm	1214mm

20 Year Warranty

20 Year Limited Residential Warranty
3 Year Light Commercial Warranty

Vision Guard™

Our exceptionally durable surface finish protects the floor from stains, fading or wear and makes maintenance and cleaning stress-free.

HydraCore™

Armstrong's HydraCore™ provides superior moisture resistance, protecting your floor from surface spills and subfloor moisture – ideal in kitchens or entertaining areas.

Balancing Layer

Additional strength and protection ensure floors lay flat even with changes in temperature and humidity.

MasterWorks TECHNOLOGY

Whichever timber species you choose, our exclusive imaging technology creates the most realistic, clear and vibrant designs in flooring.

ARMALOCK Installation System

Another Armstrong innovation, Armalock offers a simple glueless installation that provides over 950kg of locking strength per linear metre.

LAMINATE FLOORING

Armstrong FLOORING

Armalock

ALA-1201
CASTLE OAK
1282x189x8mm

ALA-1202
TEAK
1282x189x8mm

ALA-1203
JAVA TEAK
1282x189x8mm

ALA-1204
CLOUDY IVORY
1282x189x8mm

ALA-1205
RED ROSEWOOD TEAK
1210x192x8mm

ALA-1206
QUERCUS CLOVER OAK
1282x189x8mm

ALA-1207
WOODHAM OAK
1210x192x8mm

ALA-1208
RUBY CHERRY
1210x192x8mm

LAMINATE FLOORING

Armstrong FLOORING

Armalock

ALA-1209 1282x189x8mm
KAHLUA OAK

ALA-1210 1210x192x8mm
THREE COUSINS LIGHT OAK

ALA-1211 1210x192x8mm
THREE COUSINS DARK OAK

ALA-1212 1282x189x8mm
PLOTOCRAT GREY

ALA-1213 1282x189x8mm
WALNUT BRNO

ALA-1214 1282x189x8mm
ASHCOMBE AGED OAK

ALA-1215 1210x192x8mm
RANDELL OAK

ALA-1216 1210x192x8mm
PACIFIC CHERRY

LAMINATE FLOORING

Armstrong FLOORING

Armalock

ALA-1217 1210x192x8mm
NATURAL PALM

ALA-1218 1282x189x8mm
STRIP WOOD

EIR

ALA-1219 1210x192x8mm
ALMOND OAK

ALA-1220 1210x192x8mm
SWITZERLAND ELM

ALA-1221 1210x192x8mm
OAK IRELAND

ALA-1222 1210x192x8mm
SILVER GREY OAK

ALA-1223 1210x192x8mm
NATURAL OAK

✸ 20 Year Warranty ✸

20 Year Limited Residential Warranty

PROJECT REFERENCE

PROJECT APARTMENTS

Apartment Puri Orchard

Apartment Skandinavia

Apartment Yukata

Apartment Springhill

Apartment Marigold

PROJECT HOTEL

Hotel Paragon Solo

Hotel Mercure

Hotel All Seasons Bali

Hotel Ibis Hayam Wuruk

Hotel Novotel Semarang

PROJECT RESIDENCE

River Valley Residence

Teras Tjilandak Residence

Inspiring Great Spaces™

Armstrong FLOORING

Technical Data

Item	Standard	Result
Armalock Laminate Flooring	EN 13329	
Density	GB/T 18102	≥850kg/m³
Safety criteria		
Flammability	DIN EN 13501-1	Cf1-s1
Formaldehyde Emission	EN 717-1	E1
Performance Behaviour		
Residual Indentation	EN ISO 24343-1	Pass
Abrasion Resistance	EN 13329	AC3/AC4
Resistance to Staining	EN 438	No Change
Squareness	EN 13329	Pass
Straightness	EN 13329	Pass
Flatness	EN 13329	Pass

Sample piece in this sample folder is only for color reference, the structure and color of which may be varied in actual product supplying

EN 717 | Formaldehyde Emission | EN 13329 | Abrasion Class | EN 438.2.15 | EN 438.2.18 | WARRANTY

Armstrong guarantes to purchases that, for 20 years from the original date of purchase, Armalock Laminated Flooring :

* Will not stain.
* Will not fade from sunlight or artificial light.
* Will not show wear - through.
* Will not content manufacturing defects.
* Will resist water demage caused by normal household and cleaning when our recomended installation and cleaning pratise are used.
* Will not unlock at the seams.

DISTRIBUTOR :

BIRU PT. BIRU & SONS

JAKARTA
Jl. Pintu Besar Selatan No.93
Jakarta Barat
T: (021) 6909893/6906788
E: flooring@biruindonesia.com

www.biruindonesia.com